

Cuffed Quilted Christmas Stocking  
Use attached pattern or one of your choosing.

Coastal Quilters Guild  
Community Quilts

Fabrics needed:  
2/3 yard each of:

Christmas fabric, lining fabric and batting  
1/4 yard for cuff  
Scrap for loop

Cutting:

Cut one stocking front and one stocking back each from:

Christmas fabric, lining fabric and batting.  
Cut a rectangle for cuff (7" x measurement of top opening plus 1/2")  
Cut a rectangle for loop (1-1/2" x 6-1/2")

Assembly: Sew with 1/4" seams.

1. Sandwich stocking front (or stocking back) with batting and lining.  
Baste. Quilt as desired.



2. With right sides together, stitch stocking front and back sections together, leaving the top open. Finish raw edges with zig zag stitch. Do not turn.



3. Fold loop rectangle in half and sew along the long edge.  
Turn. Press seam to back.  
Pin wrong side (seam side) of loop to the lining fabric, at the back seam.  
Baste in place.



4. Fold cuff rectangle into a cylinder. Sew short edge. Press seam open.  
Fold cuff in half with wrong sides together and raw edges matching.  
Place cuff over stocking, matching back seams and raw edges. Stitch.  
Finish raw edges with zig zag stitch.

5. Turn stocking right side out.  
Fold cuff over seam and down to stocking front.





Christmas Stocking Pattern  
Section 1



Christmas Stocking Pattern  
Section 2



Christmas Stocking Pattern  
Section 3